

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-Browning Auto 5 Bullet Into Mag_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Insert a bullet into the magazine.
GUNMech_Foley-Browning Auto 5 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Insert a bullet into the magazine.
GUNMech_Foley-Browning Auto 5 Grab_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Catching the gun from the air.
GUNMech_Foley-Browning Auto 5 Grab_B00M_WW1FC_Shotgun.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Catching the gun from the air.
GUNMech_Foley-Browning Auto 5 Handling_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Browning Auto 5 Handling_B00M_WW1FC_Shotgun.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Browning Auto 5 Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Cocking and dry fire of the gun.
GUNMech_Foley-Browning Auto 5 Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Cocking and dry fire of the gun.
GUNMech_Foley-Browning Auto 5 Reload Slow_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Cocking and dry fire of the gun.
GUNMech_Foley-Browning Auto 5 Reload Slow_B00M_WW1FC_Shotgun.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Cocking and dry fire of the gun.
GUNMech_Foley-Browning Auto 5 Safety_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Turning the safety knob on and off.
GUNMech_Foley-Browning Auto 5 Safety_B00M_WW1FC_Shotgun.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Turning the safety knob on and off.
GUNMech_Foley-Colt M1911 Grab_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Catching the gun from the air.
GUNMech_Foley-Colt M1911 Grab_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Catching the gun from the air.
GUNMech_Foley-Colt M1911 Handling_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Colt M1911 Handling_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Colt M1911 Mag In Out Fast_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt M1911 Mag In Out Fast_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt M1911 Mag In Out Slow_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt M1911 Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt M1911 Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt M1911 Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt M1911 Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt M1911 Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt M1911 Safety_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Turning the safety knob on and off.
GUNMech_Foley-Colt M1911 Safety_B00M_WW1FC_Shotgun.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Turning the safety knob on and off.
GUNMech_Foley-Colt New Service Bullet Into Mag_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Insert a bullet into the magazine.
GUNMech_Foley-Colt New Service Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Insert a bullet into the magazine.
GUNMech_Foley-Colt New Service Grab_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Catching the gun from the air.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-Colt New Service Grab_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Catching the gun from the air.
GUNMech_Foley-Colt New Service Handling Hard_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Colt New Service Handling Hard_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Colt New Service Handling Soft_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Colt New Service Handling Soft_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Colt New Service Mag In Out Fast_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt New Service Mag In Out Fast_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt New Service Mag In Out Slow_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt New Service Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-Colt New Service Mag Spin_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Spinning the Revolver Mag.
GUNMech_Foley-Colt New Service Mag Spin_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Spinning the Revolver Mag.
GUNMech_Foley-Colt New Service Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt New Service Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt New Service Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Colt New Service Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Double action revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Fn Highpower Bullet Into Mag_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Insert a bullet into the magazine.
GUNMech_Foley-Fn Highpower Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Insert a bullet into the magazine.
GUNMech_Foley-Fn Highpower Dryfire_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Dry fire of the gun.
GUNMech_Foley-Fn Highpower Dryfire_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Dry fire of the gun.
GUNMech_Foley-Fn Highpower Grab_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Catching the gun from the air.
GUNMech_Foley-Fn Highpower Grab_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Catching the gun from the air.
GUNMech_Foley-Fn Highpower Handling_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Fn Highpower Handling_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Fn Highpower Mag In Out Fast_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Change the magazine of the gun.
GUNMech_Foley-Fn Highpower Mag In Out Fast_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Change the magazine of the gun.
GUNMech_Foley-Fn Highpower Mag In Out Slow_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Change the magazine of the gun.
GUNMech_Foley-Fn Highpower Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Change the magazine of the gun.
GUNMech_Foley-Fn Highpower Reload Fast_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Cocking the gun.
GUNMech_Foley-Fn Highpower Reload Fast_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Cocking the gun.
GUNMech_Foley-Fn Highpower Reload Slow_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19 mm. Cocking the gun.
GUNMech_Foley-Fn Highpower Reload Slow_B00M_WW1FC_Shotgun.wav	Single action semi automatic pistol, cal 9x19 mm. Cocking the gun.
GUNMech_Foley-Krag Joergensen Bullet Into Mag_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Insert a bullet into the magazine.
GUNMech_Foley-Krag Joergensen Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Insert a bullet into the magazine.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-Krag Joergensen Grab_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Catching the gun from the air.
GUNMech_Foley-Krag Joergensen Grab_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Catching the gun from the air.
GUNMech_Foley-Krag Joergensen Handling_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Krag Joergensen Handling_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Krag Joergensen Mag In Out Fast_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Change the magazine of the gun.
GUNMech_Foley-Krag Joergensen Mag In Out Fast_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Change the magazine of the gun.
GUNMech_Foley-Krag Joergensen Mag In Out Slow_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Change the magazine of the gun.
GUNMech_Foley-Krag Joergensen Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Change the magazine of the gun.
GUNMech_Foley-Krag Joergensen Mode_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Turning the mode knob on and off.
GUNMech_Foley-Krag Joergensen Mode_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Turning the mode knob on and off.
GUNMech_Foley-Krag Joergensen Reload Fast_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Cocking the gun.
GUNMech_Foley-Krag Joergensen Reload Fast_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Cocking the gun.
GUNMech_Foley-Krag Joergensen Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Krag Joergensen Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Krag Joergensen Safety_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55 mm. Turning the safety knob on and off.
GUNMech_Foley-Krag Joergensen Safety_B00M_WW1FC_Shotgun.wav	Repeating bolt action rifle, cal 6.5x55 mm. Turning the safety knob on and off.
GUNMech_Foley-M1917 Enfield Bullet Into Mag_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. Insert a bullet into the magazine.
GUNMech_Foley-M1917 Enfield Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Bolt action, cal .30-06 Springfield. Insert a bullet into the magazine.
GUNMech_Foley-M1917 Enfield Grab_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. Catching the gun from the air.
GUNMech_Foley-M1917 Enfield Grab_B00M_WW1FC_Shotgun.wav	Bolt action, cal .30-06 Springfield. Catching the gun from the air.
GUNMech_Foley-M1917 Enfield Handling_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-M1917 Enfield Handling_B00M_WW1FC_Shotgun.wav	Bolt action, cal .30-06 Springfield. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-M1917 Enfield Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Enfield Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Bolt action, cal .30-06 Springfield. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Enfield Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Enfield Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Bolt action, cal .30-06 Springfield. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Enfield Safety_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. Turning the safety knob on and off.
GUNMech_Foley-M1917 Enfield Safety_B00M_WW1FC_Shotgun.wav	Bolt action, cal .30-06 Springfield. Turning the safety knob on and off.
GUNMech_Foley-M1917 Revolver Bullet Into Mag_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. Insert a bullet into the magazine.
GUNMech_Foley-M1917 Revolver Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Large frame revolver, cal .45 ACP. Insert a bullet into the magazine.
GUNMech_Foley-M1917 Revolver Grab_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. Catching the gun from the air.
GUNMech_Foley-M1917 Revolver Grab_B00M_WW1FC_Shotgun.wav	Large frame revolver, cal .45 ACP. Catching the gun from the air.
GUNMech_Foley-M1917 Revolver Handling_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. Shaking the gun creating rattle and handling sounds.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-M1917 Revolver Handling_B00M_WW1FC_Shotgun.wav	Large frame revolver, cal .45 ACP. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-M1917 Revolver Mag In And Out_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-M1917 Revolver Mag In And Out_B00M_WW1FC_Shotgun.wav	Large frame revolver, cal .45 ACP. Change the magazine of the gun.
GUNMech_Foley-M1917 Revolver Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Revolver Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Large frame revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Revolver Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-M1917 Revolver Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Large frame revolver, cal .45 ACP. Cocking and dry fire of the gun.
GUNMech_Foley-Mauser C96 Grab_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19 mm. Catching the gun from the air.
GUNMech_Foley-Mauser C96 Grab_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x19 mm. Catching the gun from the air.
GUNMech_Foley-Mauser C96 Handling_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Mauser C96 Handling_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x19 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Mauser C96 Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Mauser C96 Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x19 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Mauser C96 Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Mauser C96 Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x19 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Mauser C96 Safety_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19 mm. Turning the safety knob on and off.
GUNMech_Foley-Mauser C96 Safety_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x19 mm. Turning the safety knob on and off.
GUNMech_Foley-Mosin Nagant M1891 Bullet Into Mag_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Insert a bullet into the magazine.
GUNMech_Foley-Mosin Nagant M1891 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Insert a bullet into the magazine.
GUNMech_Foley-Mosin Nagant M1891 Drop_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Catching the gun from the air.
GUNMech_Foley-Mosin Nagant M1891 Drop_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Catching the gun from the air.
GUNMech_Foley-Mosin Nagant M1891 Dryfire_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Dry fire of the gun.
GUNMech_Foley-Mosin Nagant M1891 Dryfire_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Dry fire of the gun.
GUNMech_Foley-Mosin Nagant M1891 Grab_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Catching the gun from the air.
GUNMech_Foley-Mosin Nagant M1891 Grab_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Catching the gun from the air.
GUNMech_Foley-Mosin Nagant M1891 Handling_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Mosin Nagant M1891 Handling_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Mosin Nagant M1891 Reload Fast_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Cocking the gun.
GUNMech_Foley-Mosin Nagant M1891 Reload Fast_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Cocking the gun.
GUNMech_Foley-Mosin Nagant M1891 Reload Slow_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Cocking the gun.
GUNMech_Foley-Mosin Nagant M1891 Reload Slow_B00M_WW1FC_Shotgun.wav	Bolt action internal magazine fed military rifle, cal 7.62x54 mm. Cocking the gun.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-Nagant M1895 Bullet Into Mag_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38 mm. Insert a bullet into the magazine.
GUNMech_Foley-Nagant M1895 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Gas seal revolver, cal 7.62x38 mm. Insert a bullet into the magazine.
GUNMech_Foley-Nagant M1895 Grab_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38 mm. Catching the gun from the air.
GUNMech_Foley-Nagant M1895 Grab_B00M_WW1FC_Shotgun.wav	Gas seal revolver, cal 7.62x38 mm. Catching the gun from the air.
GUNMech_Foley-Nagant M1895 Handling_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Nagant M1895 Handling_B00M_WW1FC_Shotgun.wav	Gas seal revolver, cal 7.62x38 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Nagant M1895 Mag Spin_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38 mm. Change the magazine of the gun.
GUNMech_Foley-Nagant M1895 Mag Spin_B00M_WW1FC_Shotgun.wav	Gas seal revolver, cal 7.62x38 mm. Change the magazine of the gun.
GUNMech_Foley-Nagant M1895 Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Nagant M1895 Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Gas seal revolver, cal 7.62x38 mm. Cocking and dry fire of the gun.
GUNMech_Foley-P08 Luger Grab_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Catching the gun from the air.
GUNMech_Foley-P08 Luger Grab_B00M_WW1FC_Shotgun.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Catching the gun from the air.
GUNMech_Foley-P08 Luger Mag In Out Fast_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Change the magazine of the gun.
GUNMech_Foley-P08 Luger Mag In Out Fast_B00M_WW1FC_Shotgun.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Change the magazine of the gun.
GUNMech_Foley-P08 Luger Mag In Out Slow_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Change the magazine of the gun.
GUNMech_Foley-P08 Luger Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Change the magazine of the gun.
GUNMech_Foley-P08 Luger Reload Fast And Dryfire_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Cocking and dry fire of the gun.
GUNMech_Foley-P08 Luger Reload Fast And Dryfire_B00M_WW1FC_Shotgun.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Cocking and dry fire of the gun.
GUNMech_Foley-P08 Luger Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Cocking and dry fire of the gun.
GUNMech_Foley-P08 Luger Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Cocking and dry fire of the gun.
GUNMech_Foley-P08 Luger Safety_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Turning the safety knob on and off.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-P08 Luger Safety_B00M_WW1FC_Shotgun.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19 mm Parabellum. Turning the safety knob on and off.
GUNMech_Foley-Springfield M1903 Bullet Into Mag_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Insert a bullet into the magazine.
GUNMech_Foley-Springfield M1903 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Insert a bullet into the magazine.
GUNMech_Foley-Springfield M1903 Grab_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Catching the gun from the air.
GUNMech_Foley-Springfield M1903 Grab_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Catching the gun from the air.
GUNMech_Foley-Springfield M1903 Handling Hard_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Springfield M1903 Handling Hard_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Springfield M1903 Handling Soft_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Springfield M1903 Handling Soft_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Springfield M1903 Reload Fast_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Cocking the gun.
GUNMech_Foley-Springfield M1903 Reload Fast_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Cocking the gun.
GUNMech_Foley-Springfield M1903 Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Cocking and dry fire of the gun.
GUNMech_Foley-Springfield M1903 Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Cocking and dry fire of the gun.
GUNMech_Foley-Springfield M1903 Safety_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Turning the safety knob on and off.
GUNMech_Foley-Springfield M1903 Safety_B00M_WW1FC_Shotgun.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Turning the safety knob on and off.
GUNMech_Foley-Steyr 1895 Bullet Into Mag_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Insert a bullet into the magazine.
GUNMech_Foley-Steyr 1895 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Insert a bullet into the magazine.
GUNMech_Foley-Steyr 1895 Grab_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Catching the gun from the air.
GUNMech_Foley-Steyr 1895 Grab_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Catching the gun from the air.
GUNMech_Foley-Steyr 1895 Handling_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Steyr 1895 Handling_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Steyr 1895 Mag In Out Slow_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Change the magazine of the gun.
GUNMech_Foley-Steyr 1895 Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Change the magazine of the gun.
GUNMech_Foley-Steyr 1895 Reload Fast_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Cocking the gun.
GUNMech_Foley-Steyr 1895 Reload Fast_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Cocking the gun.
GUNMech_Foley-Steyr 1895 Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Cocking and dry fire of the gun.
GUNMech_Foley-Steyr 1895 Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Cocking and dry fire of the gun.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-Steyr M1912 Bullet Into Mag_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Insert a bullet into the magazine.
GUNMech_Foley-Steyr M1912 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Insert a bullet into the magazine.
GUNMech_Foley-Steyr M1912 Dryfire_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Dry fire of the gun.
GUNMech_Foley-Steyr M1912 Dryfire_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Dry fire of the gun.
GUNMech_Foley-Steyr M1912 Grab_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Catching the gun from the air.
GUNMech_Foley-Steyr M1912 Grab_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Catching the gun from the air.
GUNMech_Foley-Steyr M1912 Handling_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Steyr M1912 Handling_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Steyr M1912 Reload Fast_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Cocking the gun.
GUNMech_Foley-Steyr M1912 Reload Fast_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Cocking the gun.
GUNMech_Foley-Steyr M1912 Reload Slow_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Cocking the gun.
GUNMech_Foley-Steyr M1912 Reload Slow_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Cocking the gun.
GUNMech_Foley-Steyr M1912 Safety_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. Turning the safety knob on and off.
GUNMech_Foley-Steyr M1912 Safety_B00M_WW1FC_Shotgun.wav	Semi automatic pistol, cal 9x23 mm. Turning the safety knob on and off.
GUNMech_Foley-Webley Mk Vi Revolver Bullet Into Mag_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. Insert a bullet into the magazine.
GUNMech_Foley-Webley Mk Vi Revolver Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Top break revolver, cal .455 Webley. Insert a bullet into the magazine.
GUNMech_Foley-Webley Mk Vi Revolver Grab_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. Catching the gun from the air.
GUNMech_Foley-Webley Mk Vi Revolver Grab_B00M_WW1FC_Shotgun.wav	Top break revolver, cal .455 Webley. Catching the gun from the air.
GUNMech_Foley-Webley Mk Vi Revolver Handling_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Webley Mk Vi Revolver Handling_B00M_WW1FC_Shotgun.wav	Top break revolver, cal .455 Webley. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Webley Mk Vi Revolver Mag In Out Fast_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. Change the magazine of the gun.
GUNMech_Foley-Webley Mk Vi Revolver Mag In Out Fast_B00M_WW1FC_Shotgun.wav	Top break revolver, cal .455 Webley. Change the magazine of the gun.
GUNMech_Foley-Webley Mk Vi Revolver Mag In Out Slow_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. Change the magazine of the gun.
GUNMech_Foley-Webley Mk Vi Revolver Mag In Out Slow_B00M_WW1FC_Shotgun.wav	Top break revolver, cal .455 Webley. Change the magazine of the gun.
GUNMech_Foley-Webley Mk Vi Revolver Reload Slow And Dryfire_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. Cocking and dry fire of the gun.
GUNMech_Foley-Webley Mk Vi Revolver Reload Slow And Dryfire_B00M_WW1FC_Shotgun.wav	Top break revolver, cal .455 Webley. Cocking and dry fire of the gun.
GUNMech_Foley-Winchester M1897 Bullet Into Mag_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Insert a bullet into the magazine.
GUNMech_Foley-Winchester M1897 Bullet Into Mag_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Insert a bullet into the magazine.
GUNMech_Foley-Winchester M1897 Bullet Out Of Mag_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Insert a bullet into the magazine.
GUNMech_Foley-Winchester M1897 Bullet Out Of Mag_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Insert a bullet into the magazine.
GUNMech_Foley-Winchester M1897 Dryfire_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Dry fire of the gun.
GUNMech_Foley-Winchester M1897 Dryfire_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Dry fire of the gun.
GUNMech_Foley-Winchester M1897 Grab_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Catching the gun from the air.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNMech_Foley-Winchester M1897 Grab_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Catching the gun from the air.
GUNMech_Foley-Winchester M1897 Handling_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Winchester M1897 Handling_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Shaking the gun creating rattle and handling sounds.
GUNMech_Foley-Winchester M1897 Reload Fast_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Cocking the gun.
GUNMech_Foley-Winchester M1897 Reload Fast_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Cocking the gun.
GUNMech_Foley-Winchester M1897 Reload Slow_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. Cocking the gun.
GUNMech_Foley-Winchester M1897 Reload Slow_B00M_WW1FC_Shotgun.wav	Lever action shotgun, cal 12 Gauge. Cocking the gun.
GUNPis_PI-Colt M1911 Single Shot 0m_B00M_WW1FC_Collar.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Lavalier attached to the collar of the shooter.
GUNPis_PI-Colt M1911 Single Shot 0m_B00M_WW1FC_Wrist.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. Lavalier attached to the wrist of the shooter.
GUNPis_PI-Colt M1911 Single Shot 100m_B00M_WW1FC_XY.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-Colt M1911 Single Shot 1m_B00M_WW1FC_AB.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-Colt M1911 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Colt M1911 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Colt M1911 Single Shot 2m_B00M_WW1FC_AB.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-Colt M1911 Single Shot 3m_B00M_WW1FC_AB.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-Colt M1911 Single Shot 3m_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNPis_PI-Colt M1911 Single Shot 40m_B00M_WW1FC_Ambix.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-Colt M1911 Single Shot 5m_B00M_WW1FC_MS.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-Colt M1911 Single Shot 5m_B00M_WW1FC_XY.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-Colt M1911 Single Shot 75m_B00M_WW1FC_XY.wav	Single action recoil operated semi automatic pistol, cal .45 ACP. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNPis_PI-Colt New Service Single Shot 0m_B00M_WW1FC_Collar.wav	Double action revolver, cal .45 ACP. Lavalier attached to the collar of the shooter.
GUNPis_PI-Colt New Service Single Shot 0m_B00M_WW1FC_Wrist.wav	Double action revolver, cal .45 ACP. Lavalier attached to the wrist of the shooter.
GUNPis_PI-Colt New Service Single Shot 100m_B00M_WW1FC_XY.wav	Double action revolver, cal .45 ACP. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-Colt New Service Single Shot 15m_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNPis_PI-Colt New Service Single Shot 1m_B00M_WW1FC_AB.wav	Double action revolver, cal .45 ACP. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-Colt New Service Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Double action revolver, cal .45 ACP. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Colt New Service Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Double action revolver, cal .45 ACP. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Colt New Service Single Shot 2m_B00M_WW1FC_AB.wav	Double action revolver, cal .45 ACP. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-Colt New Service Single Shot 3m_B00M_WW1FC_AB.wav	Double action revolver, cal .45 ACP. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-Colt New Service Single Shot 50m_B00M_WW1FC_Ambix.wav	Double action revolver, cal .45 ACP. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-Colt New Service Single Shot 50m_B00M_WW1FC_XY.wav	Double action revolver, cal .45 ACP. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-Colt New Service Single Shot 5m_B00M_WW1FC_MS.wav	Double action revolver, cal .45 ACP. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-Colt New Service Single Shot 5m_B00M_WW1FC_XY.wav	Double action revolver, cal .45 ACP. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-FN Highpower Single Shot 0m_B00M_WW1FC_Collar.wav	Single action semi automatic pistol, cal 9x19mm. Lavalier attached to the collar of the shooter.
GUNPis_PI-FN Highpower Single Shot 0m_B00M_WW1FC_Wrist.wav	Single action semi automatic pistol, cal 9x19mm. Lavalier attached to the wrist of the shooter.
GUNPis_PI-FN Highpower Single Shot 100m_B00M_WW1FC_XY.wav	Single action semi automatic pistol, cal 9x19mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-FN Highpower Single Shot 1m_B00M_WW1FC_AB.wav	Single action semi automatic pistol, cal 9x19mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-FN Highpower Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Single action semi automatic pistol, cal 9x19mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-FN Highpower Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Single action semi automatic pistol, cal 9x19mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-FN Highpower Single Shot 2m_B00M_WW1FC_AB.wav	Single action semi automatic pistol, cal 9x19mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-FN Highpower Single Shot 3m_B00M_WW1FC_AB.wav	Single action semi automatic pistol, cal 9x19mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-FN Highpower Single Shot 3m_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19mm. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNPis_PI-FN Highpower Single Shot 40m_B00M_WW1FC_Ambix.wav	Single action semi automatic pistol, cal 9x19mm. 4 channel ambisonics positioned 50m behind the shooter.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNPis_PI-FN Highpower Single Shot 5m_B00M_WW1FC_MS.wav	Single action semi automatic pistol, cal 9x19mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-FN Highpower Single Shot 5m_B00M_WW1FC_XY.wav	Single action semi automatic pistol, cal 9x19mm. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-FN Highpower Single Shot 75m_B00M_WW1FC_XY.wav	Single action semi automatic pistol, cal 9x19mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-M1917 Single Shot 0m_B00M_WW1FC_Collar.wav	Large frame revolver, cal .45 ACP. Lavalier attached to the collar of the shooter.
GUNPis_PI-M1917 Single Shot 0m_B00M_WW1FC_Wrist.wav	Large frame revolver, cal .45 ACP. Lavalier attached to the wrist of the shooter.
GUNPis_PI-M1917 Single Shot 100m_B00M_WW1FC_XY.wav	Large frame revolver, cal .45 ACP. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-M1917 Single Shot 15m_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNPis_PI-M1917 Single Shot 1m_B00M_WW1FC_AB.wav	Large frame revolver, cal .45 ACP. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-M1917 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Large frame revolver, cal .45 ACP. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-M1917 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Large frame revolver, cal .45 ACP. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-M1917 Single Shot 2m_B00M_WW1FC_AB.wav	Large frame revolver, cal .45 ACP. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-M1917 Single Shot 3m_B00M_WW1FC_AB.wav	Large frame revolver, cal .45 ACP. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-M1917 Single Shot 50m_B00M_WW1FC_Ambix.wav	Large frame revolver, cal .45 ACP. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-M1917 Single Shot 50m_B00M_WW1FC_XY.wav	Large frame revolver, cal .45 ACP. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-M1917 Single Shot 5m_B00M_WW1FC_MS.wav	Large frame revolver, cal .45 ACP. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-M1917 Single Shot 5m_B00M_WW1FC_XY.wav	Large frame revolver, cal .45 ACP. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-Mauser C96 Single Shot 0m_B00M_WW1FC_Collar.wav	Semi automatic pistol, cal 9x19mm. Lavalier attached to the collar of the shooter.
GUNPis_PI-Mauser C96 Single Shot 0m_B00M_WW1FC_Wrist.wav	Semi automatic pistol, cal 9x19mm. Lavalier attached to the wrist of the shooter.
GUNPis_PI-Mauser C96 Single Shot 100m_B00M_WW1FC_XY.wav	Semi automatic pistol, cal 9x19mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-Mauser C96 Single Shot 1m_B00M_WW1FC_AB.wav	Semi automatic pistol, cal 9x19mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-Mauser C96 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Semi automatic pistol, cal 9x19mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Mauser C96 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Semi automatic pistol, cal 9x19mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Mauser C96 Single Shot 2m_B00M_WW1FC_AB.wav	Semi automatic pistol, cal 9x19mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-Mauser C96 Single Shot 3m_B00M_WW1FC_AB.wav	Semi automatic pistol, cal 9x19mm. A/B positioned 3m behind the gun, right and left to the shooter.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNPis_PI-Mauser C96 Single Shot 3m_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19mm. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNPis_PI-Mauser C96 Single Shot 40m_B00M_WW1FC_Ambix.wav	Semi automatic pistol, cal 9x19mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-Mauser C96 Single Shot 5m_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x19mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-Mauser C96 Single Shot 5m_B00M_WW1FC_XY.wav	Semi automatic pistol, cal 9x19mm. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-Mauser C96 Single Shot 75m_B00M_WW1FC_XY.wav	Semi automatic pistol, cal 9x19mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-Nagant M1895 Single Shot 0m_B00M_WW1FC_Collar.wav	Gas seal revolver, cal 7.62x38mm. Lavalier attached to the collar of the shooter.
GUNPis_PI-Nagant M1895 Single Shot 0m_B00M_WW1FC_Wrist.wav	Gas seal revolver, cal 7.62x38mm. Lavalier attached to the wrist of the shooter.
GUNPis_PI-Nagant M1895 Single Shot 100m_B00M_WW1FC_XY.wav	Gas seal revolver, cal 7.62x38mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-Nagant M1895 Single Shot 15m_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38mm. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNPis_PI-Nagant M1895 Single Shot 1m_B00M_WW1FC_AB.wav	Gas seal revolver, cal 7.62x38mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-Nagant M1895 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Gas seal revolver, cal 7.62x38mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Nagant M1895 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Gas seal revolver, cal 7.62x38mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Nagant M1895 Single Shot 2m_B00M_WW1FC_AB.wav	Gas seal revolver, cal 7.62x38mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-Nagant M1895 Single Shot 3m_B00M_WW1FC_AB.wav	Gas seal revolver, cal 7.62x38mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-Nagant M1895 Single Shot 50m_B00M_WW1FC_Ambix.wav	Gas seal revolver, cal 7.62x38mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-Nagant M1895 Single Shot 50m_B00M_WW1FC_XY.wav	Gas seal revolver, cal 7.62x38mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-Nagant M1895 Single Shot 5m_B00M_WW1FC_MS.wav	Gas seal revolver, cal 7.62x38mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-Nagant M1895 Single Shot 5m_B00M_WW1FC_XY.wav	Gas seal revolver, cal 7.62x38mm. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-P08 Luger Single Shot 0m_B00M_WW1FC_Collar.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. Lavalier attached to the collar of the shooter.
GUNPis_PI-P08 Luger Single Shot 0m_B00M_WW1FC_Wrist.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. Lavalier attached to the wrist of the shooter.
GUNPis_PI-P08 Luger Single Shot 100m_B00M_WW1FC_XY.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-P08 Luger Single Shot 1m_B00M_WW1FC_AB.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-P08 Luger Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. ORTF3D positioned 20m behind the shooter.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNPis_PI-P08 Luger Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-P08 Luger Single Shot 2m_B00M_WW1FC_AB.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-P08 Luger Single Shot 3m_B00M_WW1FC_AB.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-P08 Luger Single Shot 3m_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNPis_PI-P08 Luger Single Shot 40m_B00M_WW1FC_Ambix.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-P08 Luger Single Shot 5m_B00M_WW1FC_MS.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-P08 Luger Single Shot 5m_B00M_WW1FC_XY.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. X/Y 5m in front of the shooter, pointing to the gun.
GUNPis_PI-P08 Luger Single Shot 75m_B00M_WW1FC_XY.wav	Toggle locked recoil operated semi automatic pistol, cal 9x19mm Parabellum. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-Steyr M1912 Single Shot 0m_B00M_WW1FC_Collar.wav	Semi automatic pistol, cal 9x23 mm. Lavalier attached to the collar of the shooter.
GUNPis_PI-Steyr M1912 Single Shot 0m_B00M_WW1FC_Wrist.wav	Semi automatic pistol, cal 9x23 mm. Lavalier attached to the wrist of the shooter.
GUNPis_PI-Steyr M1912 Single Shot 100m_B00M_WW1FC_XY.wav	Semi automatic pistol, cal 9x23 mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-Steyr M1912 Single Shot 15m_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNPis_PI-Steyr M1912 Single Shot 1m_B00M_WW1FC_AB.wav	Semi automatic pistol, cal 9x23 mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-Steyr M1912 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Semi automatic pistol, cal 9x23 mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Steyr M1912 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Semi automatic pistol, cal 9x23 mm. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Steyr M1912 Single Shot 2m_B00M_WW1FC_AB.wav	Semi automatic pistol, cal 9x23 mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-Steyr M1912 Single Shot 3m_B00M_WW1FC_AB.wav	Semi automatic pistol, cal 9x23 mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-Steyr M1912 Single Shot 50m_B00M_WW1FC_Ambix.wav	Semi automatic pistol, cal 9x23 mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-Steyr M1912 Single Shot 50m_B00M_WW1FC_XY.wav	Semi automatic pistol, cal 9x23 mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-Steyr M1912 Single Shot 5m_B00M_WW1FC_MS.wav	Semi automatic pistol, cal 9x23 mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-Steyr M1912 Single Shot 5m_B00M_WW1FC_XY.wav	Semi automatic pistol, cal 9x23 mm. X/Y 5m in front of the shooter, pointing to the gun.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNPis_PI-Webley Mk VI Revolver Single Shot 0m_B00M_WW1FC_Collar.wav	Top break revolver, cal .455 Webley. Lavalier attached to the collar of the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 0m_B00M_WW1FC_Wrist.wav	Top break revolver, cal .455 Webley. Lavalier attached to the wrist of the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 100m_B00M_WW1FC_XY.wav	Top break revolver, cal .455 Webley. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNPis_PI-Webley Mk VI Revolver Single Shot 15m_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNPis_PI-Webley Mk VI Revolver Single Shot 1m_B00M_WW1FC_AB.wav	Top break revolver, cal .455 Webley. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Top break revolver, cal .455 Webley. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Top break revolver, cal .455 Webley. ORTF3D positioned 20m behind the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 2m_B00M_WW1FC_AB.wav	Top break revolver, cal .455 Webley. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNPis_PI-Webley Mk VI Revolver Single Shot 3m_B00M_WW1FC_AB.wav	Top break revolver, cal .455 Webley. A/B positioned 3m behind the gun, right and left to the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 50m_B00M_WW1FC_Ambix.wav	Top break revolver, cal .455 Webley. 4 channel ambisonics positioned 50m behind the shooter.
GUNPis_PI-Webley Mk VI Revolver Single Shot 50m_B00M_WW1FC_XY.wav	Top break revolver, cal .455 Webley. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNPis_PI-Webley Mk VI Revolver Single Shot 5m_B00M_WW1FC_MS.wav	Top break revolver, cal .455 Webley. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNPis_PI-Webley Mk VI Revolver Single Shot 5m_B00M_WW1FC_XY.wav	Top break revolver, cal .455 Webley. X/Y 5m in front of the shooter, pointing to the gun.
GUNRif_PI-Steyr 1895 Single Shot 0m_B00M_WW1FC_Collar.wav	Pull bolt action rifle, cal 8x56 mm. Lavalier attached to the collar of the shooter.
GUNRif_PI-Steyr 1895 Single Shot 0m_B00M_WW1FC_Wrist.wav	Pull bolt action rifle, cal 8x56 mm. Lavalier attached to the wrist of the shooter.
GUNRif_PI-Steyr 1895 Single Shot 100m_B00M_WW1FC_XY.wav	Pull bolt action rifle, cal 8x56 mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_PI-Steyr 1895 Single Shot 1m_B00M_WW1FC_AB.wav	Pull bolt action rifle, cal 8x56 mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_PI-Steyr 1895 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Pull bolt action rifle, cal 8x56 mm. ORTF3D positioned 20m behind the shooter.
GUNRif_PI-Steyr 1895 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Pull bolt action rifle, cal 8x56 mm. ORTF3D positioned 20m behind the shooter.
GUNRif_PI-Steyr 1895 Single Shot 2m_B00M_WW1FC_AB.wav	Pull bolt action rifle, cal 8x56 mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_PI-Steyr 1895 Single Shot 3m_B00M_WW1FC_AB.wav	Pull bolt action rifle, cal 8x56 mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNRif_PI-Steyr 1895 Single Shot 3m_B00M_WW1FC_MS.wav	Pull bolt action rifle, cal 8x56 mm. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNRif_PI-Steyr 1895 Single Shot 40m_B00M_WW1FC_Ambix.wav	Pull bolt action rifle, cal 8x56 mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_PI-Steyr 1895 Single Shot 5m_B00M_WW1FC_MS.wav	Pull bolt action rifle, cal 8x56 mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNRif_PI-Steyr 1895 Single Shot 5m_B00M_WW1FC_XY.wav	Pull bolt action rifle, cal 8x56 mm. X/Y 5m in front of the shooter, pointing to the gun.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNRif_PI-Steyr 1895 Single Shot 75m_B00M_WW1FC_XY.wav	Pull bolt action rifle, cal 8x56 mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-Krag Joergensen Single Shot 0m_B00M_WW1FC_Collar.wav	Repeating bolt action rifle, cal 6.5x55mm. Lavalier attached to the collar of the shooter.
GUNRif_RI-Krag Joergensen Single Shot 0m_B00M_WW1FC_Wrist.wav	Repeating bolt action rifle, cal 6.5x55mm. Lavalier attached to the wrist of the shooter.
GUNRif_RI-Krag Joergensen Single Shot 100m_B00M_WW1FC_XY.wav	Repeating bolt action rifle, cal 6.5x55mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_RI-Krag Joergensen Single Shot 15m_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55mm. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNRif_RI-Krag Joergensen Single Shot 1m_B00M_WW1FC_AB.wav	Repeating bolt action rifle, cal 6.5x55mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_RI-Krag Joergensen Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Repeating bolt action rifle, cal 6.5x55mm. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Krag Joergensen Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Repeating bolt action rifle, cal 6.5x55mm. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Krag Joergensen Single Shot 2m_B00M_WW1FC_AB.wav	Repeating bolt action rifle, cal 6.5x55mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_RI-Krag Joergensen Single Shot 3m_B00M_WW1FC_AB.wav	Repeating bolt action rifle, cal 6.5x55mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNRif_RI-Krag Joergensen Single Shot 50m_B00M_WW1FC_Ambix.wav	Repeating bolt action rifle, cal 6.5x55mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_RI-Krag Joergensen Single Shot 50m_B00M_WW1FC_XY.wav	Repeating bolt action rifle, cal 6.5x55mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-Krag Joergensen Single Shot 5m_B00M_WW1FC_MS.wav	Repeating bolt action rifle, cal 6.5x55mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNRif_RI-Krag Joergensen Single Shot 5m_B00M_WW1FC_XY.wav	Repeating bolt action rifle, cal 6.5x55mm. X/Y 5m in front of the shooter, pointing to the gun.
GUNRif_RI-M1917 Enfield Single Shot 0m_B00M_WW1FC_Collar.wav	Bolt action, cal .30-06 Springfield. Lavalier attached to the collar of the shooter.
GUNRif_RI-M1917 Enfield Single Shot 0m_B00M_WW1FC_Wrist.wav	Bolt action, cal .30-06 Springfield. Lavalier attached to the wrist of the shooter.
GUNRif_RI-M1917 Enfield Single Shot 100m_B00M_WW1FC_XY.wav	Bolt action, cal .30-06 Springfield. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_RI-M1917 Enfield Single Shot 15m_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNRif_RI-M1917 Enfield Single Shot 1m_B00M_WW1FC_AB.wav	Bolt action, cal .30-06 Springfield. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_RI-M1917 Enfield Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Bolt action, cal .30-06 Springfield. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-M1917 Enfield Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Bolt action, cal .30-06 Springfield. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-M1917 Enfield Single Shot 2m_B00M_WW1FC_AB.wav	Bolt action, cal .30-06 Springfield. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_RI-M1917 Enfield Single Shot 3m_B00M_WW1FC_AB.wav	Bolt action, cal .30-06 Springfield. A/B positioned 3m behind the gun, right and left to the shooter.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNRif_RI-M1917 Enfield Single Shot 50m_B00M_WW1FC_Ambix.wav	Bolt action, cal .30-06 Springfield. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_RI-M1917 Enfield Single Shot 50m_B00M_WW1FC_XY.wav	Bolt action, cal .30-06 Springfield. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-M1917 Enfield Single Shot 5m_B00M_WW1FC_MS.wav	Bolt action, cal .30-06 Springfield. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNRif_RI-M1917 Enfield Single Shot 5m_B00M_WW1FC_XY.wav	Bolt action, cal .30-06 Springfield. X/Y 5m in front of the shooter, pointing to the gun.
GUNRif_RI-Mosin Nagant 1891 Single Shot 0m_B00M_WW1FC_Collar.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. Lavalier attached to the collar of the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 0m_B00M_WW1FC_Wrist.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. Lavalier attached to the wrist of the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 100m_B00M_WW1FC_XY.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_RI-Mosin Nagant 1891 Single Shot 1m_B00M_WW1FC_AB.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 2m_B00M_WW1FC_AB.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_RI-Mosin Nagant 1891 Single Shot 3m_B00M_WW1FC_AB.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 3m_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNRif_RI-Mosin Nagant 1891 Single Shot 40m_B00M_WW1FC_Ambix.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_RI-Mosin Nagant 1891 Single Shot 5m_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNRif_RI-Mosin Nagant 1891 Single Shot 5m_B00M_WW1FC_XY.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. X/Y 5m in front of the shooter, pointing to the gun.
GUNRif_RI-Mosin Nagant 1891 Single Shot 75m_B00M_WW1FC_XY.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-Mosin Nagant M1907 Single Shot 0m_B00M_WW1FC_Collar.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. Lavalier attached to the collar of the shooter.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNRif_RI-Mosin Nagant M1907 Single Shot 0m_B00M_WW1FC_Wrist.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. Lavalier attached to the wrist of the shooter.
GUNRif_RI-Mosin Nagant M1907 Single Shot 100m_B00M_WW1FC_XY.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_RI-Mosin Nagant M1907 Single Shot 15m_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNRif_RI-Mosin Nagant M1907 Single Shot 1m_B00M_WW1FC_AB.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_RI-Mosin Nagant M1907 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Mosin Nagant M1907 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Mosin Nagant M1907 Single Shot 2m_B00M_WW1FC_AB.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_RI-Mosin Nagant M1907 Single Shot 3m_B00M_WW1FC_AB.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. A/B positioned 3m behind the gun, right and left to the shooter.
GUNRif_RI-Mosin Nagant M1907 Single Shot 50m_B00M_WW1FC_Ambix.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_RI-Mosin Nagant M1907 Single Shot 50m_B00M_WW1FC_XY.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-Mosin Nagant M1907 Single Shot 5m_B00M_WW1FC_MS.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNRif_RI-Mosin Nagant M1907 Single Shot 5m_B00M_WW1FC_XY.wav	Bolt action internal magazine fed military rifle, cal 7.62x54mm. X/Y 5m in front of the shooter, pointing to the gun.
GUNRif_RI-Springfield M1903 A4 Single Shot 0m_B00M_WW1FC_Collar.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Lavalier attached to the collar of the shooter.
GUNRif_RI-Springfield M1903 A4 Single Shot 0m_B00M_WW1FC_Wrist.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Lavalier attached to the wrist of the shooter.
GUNRif_RI-Springfield M1903 A4 Single Shot 100m_B00M_WW1FC_XY.wav	Magazine fed bolt action service repeating rifle, cal .30-03. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_RI-Springfield M1903 A4 Single Shot 15m_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNRif_RI-Springfield M1903 A4 Single Shot 1m_B00M_WW1FC_AB.wav	Magazine fed bolt action service repeating rifle, cal .30-03. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_RI-Springfield M1903 A4 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Magazine fed bolt action service repeating rifle, cal .30-03. ORTF3D positioned 20m behind the shooter.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNRif_RI-Springfield M1903 A4 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Magazine fed bolt action service repeating rifle, cal .30-03. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Springfield M1903 A4 Single Shot 2m_B00M_WW1FC_AB.wav	Magazine fed bolt action service repeating rifle, cal .30-03. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_RI-Springfield M1903 A4 Single Shot 3m_B00M_WW1FC_AB.wav	Magazine fed bolt action service repeating rifle, cal .30-03. A/B positioned 3m behind the gun, right and left to the shooter.
GUNRif_RI-Springfield M1903 A4 Single Shot 50m_B00M_WW1FC_Ambix.wav	Magazine fed bolt action service repeating rifle, cal .30-03. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_RI-Springfield M1903 A4 Single Shot 50m_B00M_WW1FC_XY.wav	Magazine fed bolt action service repeating rifle, cal .30-03. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-Springfield M1903 A4 Single Shot 5m_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNRif_RI-Springfield M1903 A4 Single Shot 5m_B00M_WW1FC_XY.wav	Magazine fed bolt action service repeating rifle, cal .30-03. X/Y 5m in front of the shooter, pointing to the gun.
GUNRif_RI-Springfield M1903 Single Shot 0m_B00M_WW1FC_Collar.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Lavalier attached to the collar of the shooter.
GUNRif_RI-Springfield M1903 Single Shot 0m_B00M_WW1FC_Wrist.wav	Magazine fed bolt action service repeating rifle, cal .30-03. Lavalier attached to the wrist of the shooter.
GUNRif_RI-Springfield M1903 Single Shot 100m_B00M_WW1FC_XY.wav	Magazine fed bolt action service repeating rifle, cal .30-03. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNRif_RI-Springfield M1903 Single Shot 15m_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNRif_RI-Springfield M1903 Single Shot 1m_B00M_WW1FC_AB.wav	Magazine fed bolt action service repeating rifle, cal .30-03. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNRif_RI-Springfield M1903 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Magazine fed bolt action service repeating rifle, cal .30-03. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Springfield M1903 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Magazine fed bolt action service repeating rifle, cal .30-03. ORTF3D positioned 20m behind the shooter.
GUNRif_RI-Springfield M1903 Single Shot 2m_B00M_WW1FC_AB.wav	Magazine fed bolt action service repeating rifle, cal .30-03. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNRif_RI-Springfield M1903 Single Shot 3m_B00M_WW1FC_AB.wav	Magazine fed bolt action service repeating rifle, cal .30-03. A/B positioned 3m behind the gun, right and left to the shooter.
GUNRif_RI-Springfield M1903 Single Shot 50m_B00M_WW1FC_Ambix.wav	Magazine fed bolt action service repeating rifle, cal .30-03. 4 channel ambisonics positioned 50m behind the shooter.
GUNRif_RI-Springfield M1903 Single Shot 50m_B00M_WW1FC_XY.wav	Magazine fed bolt action service repeating rifle, cal .30-03. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNRif_RI-Springfield M1903 Single Shot 5m_B00M_WW1FC_MS.wav	Magazine fed bolt action service repeating rifle, cal .30-03. M/S shotgun mic positioned directly behind the shooter, 5m away.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNRif_RI-Springfield M1903 Single Shot 5m_B00M_WW1FC_XY.wav	Magazine fed bolt action service repeating rifle, cal .30-03. X/Y 5m in front of the shooter, pointing to the gun.
GUNShotg_SG-Browning Auto 5 Single Shot 0m_B00M_WW1FC_Collar.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Lavalier attached to the collar of the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 0m_B00M_WW1FC_Wrist.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. Lavalier attached to the wrist of the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 100m_B00M_WW1FC_XY.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNShotg_SG-Browning Auto 5 Single Shot 15m_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. M/S shotgun mic positioned directly behind the shooter, 15m away.
GUNShotg_SG-Browning Auto 5 Single Shot 1m_B00M_WW1FC_AB.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. ORTF3D positioned 20m behind the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. ORTF3D positioned 20m behind the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 2m_B00M_WW1FC_AB.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.
GUNShotg_SG-Browning Auto 5 Single Shot 3m_B00M_WW1FC_AB.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. A/B positioned 3m behind the gun, right and left to the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 50m_B00M_WW1FC_Ambix.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. 4 channel ambisonics positioned 50m behind the shooter.
GUNShotg_SG-Browning Auto 5 Single Shot 50m_B00M_WW1FC_XY.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
GUNShotg_SG-Browning Auto 5 Single Shot 5m_B00M_WW1FC_MS.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNShotg_SG-Browning Auto 5 Single Shot 5m_B00M_WW1FC_XY.wav	Recoil operated semi automatic shotgun, cal 12 Gauge. X/Y 5m in front of the shooter, pointing to the gun.
GUNShotg_SG-Winchester M1897 Single Shot 0m_B00M_WW1FC_Collar.wav	Lever action shotgun, cal 12 Gauge. Lavalier attached to the collar of the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 0m_B00M_WW1FC_Wrist.wav	Lever action shotgun, cal 12 Gauge. Lavalier attached to the wrist of the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 100m_B00M_WW1FC_XY.wav	Lever action shotgun, cal 12 Gauge. X/Y handheld recorder positioned 100m from the shooter position in a nearby forest.
GUNShotg_SG-Winchester M1897 Single Shot 1m_B00M_WW1FC_AB.wav	Lever action shotgun, cal 12 Gauge. A/B with shotgun mics positioned 1m behind the gun, right and left to the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 20m_B00M_WW1FC_ORTF3D Hi.wav	Lever action shotgun, cal 12 Gauge. ORTF3D positioned 20m behind the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 20m_B00M_WW1FC_ORTF3D Lo.wav	Lever action shotgun, cal 12 Gauge. ORTF3D positioned 20m behind the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 2m_B00M_WW1FC_AB.wav	Lever action shotgun, cal 12 Gauge. A/B with dynamic mics positioned 2m right and left from the muzzle of the gun.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
GUNShotg_SG-Winchester M1897 Single Shot 3m_B00M_WW1FC_AB.wav	Lever action shotgun, cal 12 Gauge. A/B positioned 3m behind the gun, right and left to the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 3m_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. M/S shotgun mic positioned directly behind the shooter, 3m away.
GUNShotg_SG-Winchester M1897 Single Shot 40m_B00M_WW1FC_Ambix.wav	Lever action shotgun, cal 12 Gauge. 4 channel ambisonics positioned 50m behind the shooter.
GUNShotg_SG-Winchester M1897 Single Shot 5m_B00M_WW1FC_MS.wav	Lever action shotgun, cal 12 Gauge. M/S shotgun mic positioned directly behind the shooter, 5m away.
GUNShotg_SG-Winchester M1897 Single Shot 5m_B00M_WW1FC_XY.wav	Lever action shotgun, cal 12 Gauge. X/Y 5m in front of the shooter, pointing to the gun.
GUNShotg_SG-Winchester M1897 Single Shot 75m_B00M_WW1FC_XY.wav	Lever action shotgun, cal 12 Gauge. X/Y handheld recorder positioned 50m from the shooter position in a nearby forest.
MECHMisc_MECHANICS SWEETENER-Cash Register Gear Pull Slow_B00M_WW1FC.wav	Slow sliding movement of cash register gear creates metallic progression sound useful for weapon mechanics.
MECHMisc_MECHANICS SWEETENER-Cup Hit Ringing_B00M_WW1FC.wav	Cup struck produces bright ringing tone with gradual decay perfect for subtle weapon audio elements.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Bell Ring_B00M_WW1FC.wav	Bell rings with clear musical tone creating pleasant resonant feedback when struck.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Big Lever Pull_B00M_WW1FC.wav	Substantial lever movement generates deep tonal character with mechanical weight.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Big Lever Push_B00M_WW1FC.wav	Pushing motion of lever mechanism produces rich resonant feedback with acoustic depth.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Gear Pull Double_B00M_WW1FC.wav	Paired gear teeth engagement creates sequential tonal sounds when pulled in succession.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Gear Pull Fast_B00M_WW1FC.wav	Rapid gear motion generates quick tonal clicks when mechanism is activated swiftly.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Lever Pull Double_B00M_WW1FC.wav	Lever mechanism pulled twice in succession creates rhythmic paired tonal elements.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Loose Lever Pull Double_B00M_WW1FC.wav	Loose components in lever produce distinctive double pull sound with varied tonal character.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Loose Mechanic Shale_B00M_WW1FC.wav	Sliding loose mechanical part creates characteristic shift sound with tonal properties.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Mechanic Snap_B00M_WW1FC.wav	Crisp snap sound emerges when mechanism locks into place with bright tonal quality.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Mechanic Switch_B00M_WW1FC.wav	Switch mechanism transitions between positions creating musical tonal feedback.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Mechanics Click_B00M_WW1FC.wav	Precision parts produce clean defined clicking with distinctive tonal signature.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Mechanics Friction_B00M_WW1FC.wav	Friction between metal pieces generates harmonic variations with textured quality.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Mechanics Spin_B00M_WW1FC.wav	Spinning motion creates evolving tonal patterns with dynamic acoustic character.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Metal Ring_B00M_WW1FC.wav	Metal ring vibrates when struck producing sustained musical tone with clear quality.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Rattle Light Metallic_B00M_WW1FC.wav	Material generates rich harmonic overtones when contacted creating complex textures.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Rattle Light_B00M_WW1FC.wav	Light rhythmic pattern emerges from small pieces creating subtle rattling textures.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Rattle_B00M_WW1FC.wav	Medium intensity rattling occurs when pieces interact producing sustained patterns.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Small Lever Pull Double_B00M_WW1FC.wav	Small lever operates twice creating delicate tonal response with precise character.
MECHMisc_MECHANICS SWEETENER-Resonant Tonal Spring Low_B00M_WW1FC.wav	Stretched spring vibrates with warm low tonal qualities creating resonant response.
METLFric_MECHANICS SWEETENER-Large Reload Fast_B00M_WW1FC.wav	Extended reload action executes rapidly with substantial mechanical presence.
METLFric_MECHANICS SWEETENER-Large Reload Slow_B00M_WW1FC.wav	Deliberate extended reload sequence progresses slowly with weighted qualities.
METLFric_MECHANICS SWEETENER-Medium Reload Fast_B00M_WW1FC.wav	Medium length reload action completes quickly with balanced mechanical sound.
METLFric_MECHANICS SWEETENER-Medium Reload Slow_B00M_WW1FC.wav	Measured medium reload sequence progresses with controlled pacing.
METLFric_MECHANICS SWEETENER-Rattling Reload Fast_B00M_WW1FC.wav	Rapid multiple collisions create chaotic rattling pattern with dynamic qualities.
METLFric_MECHANICS SWEETENER-Small Reload High Fast_B00M_WW1FC.wav	Swift compact reload action produces bright high pitched mechanical feedback.
METLFric_MECHANICS SWEETENER-Small Reload High Slow_B00M_WW1FC.wav	Deliberate compact reload sequence moves slowly with high tonal character.
METLFric_MECHANICS SWEETENER-Small Reload Low_B00M_WW1FC.wav	Compact reload action produces lower toned mechanical sound with subdued qualities.
METLFric_MECHANICS SWEETENER-Solid Reload Fast_B00M_WW1FC.wav	Firm reload action executes rapidly with distinct mechanical precision.
METLImpt_MECHANICS SWEETENER-Large Drop_B00M_WW1FC.wav	Extended dropping motion creates significant impact sound with full resonance.
METLImpt_MECHANICS SWEETENER-Small Drop_B00M_WW1FC.wav	Minimal falling motion produces light impact sound with brief duration.
METLMvmt_MECHANICS SWEETENER-Large Grab_B00M_WW1FC.wav	Extended collision generates profound clanking with substantial acoustic presence.
METLMvmt_MECHANICS SWEETENER-Large Rattle_B00M_WW1FC.wav	Sustained rattling motion produces continuous textured sound when agitated.
METLMvmt_MECHANICS SWEETENER-Medium Rattle_B00M_WW1FC.wav	Moderate rattling creates balanced sound pattern with medium intensity.
METLMvmt_MECHANICS SWEETENER-Small Grab_B00M_WW1FC.wav	Brief collision produces modest clanking sound with restrained force.
METLMvmt_MECHANICS SWEETENER-Small Rattle_B00M_WW1FC.wav	Minimal rattling motion creates subtle textured pattern when lightly disturbed.
METLTonI_MECHANICS SWEETENER-Large Ringing Hit High_B00M_WW1FC.wav	Extended ringing sound emanates when struck firmly creating sustained resonance.
METLTonI_MECHANICS SWEETENER-Large Ringing Hit Low_B00M_WW1FC.wav	Lower resonant ringing produces rich overtones when gently activated.
METLTonI_MECHANICS SWEETENER-Large Shell Casing Ringing_B00M_WW1FC.wav	Shell casing contact generates characteristic ringing with distinctive metallic quality.
METLTonI_MECHANICS SWEETENER-Small Ringing Hit High_B00M_WW1FC.wav	Compact ringing produces brilliant high pitched tone when firmly struck.
METLTonI_MECHANICS SWEETENER-Small Ringing Hit Low_B00M_WW1FC.wav	Gentle contact creates subtle low pitched ring with moderate sustain.
MUSCPerc_MECHANICS SWEETENER-Huge Triangle Hit_B00M_WW1FC.wav	Massive triangle strike generates powerful sustained tone with immense presence.
MUSCPerc_MECHANICS SWEETENER-Large Triangle Hit_B00M_WW1FC.wav	Substantial triangle strike produces clear ringing with extended decay period.

WORLD WAR I FIREARMS

FILENAME	DESCRIPTION
MUSCPerc_MECHANICS SWEETENER-Medium Triangle Hit_B00M_WW1FC.wav	Moderate triangle contact creates balanced resonant tone with appropriate intensity.
MUSCPerc_MECHANICS SWEETENER-Small Triangle Hit_B00M_WW1FC.wav	Delicate triangle tap produces high pitched tone with pure resonant quality.
PLASFric_MECHANICS SWEETENER-Large Reload_B00M_WW1FC.wav	Extended plastic reload sequence creates distinctive sounds with characteristic density.
PLASFric_MECHANICS SWEETENER-Small Reload_B00M_WW1FC.wav	Compact plastic reload generates modest sounds with unique acoustic signature.
PLASImpt_MECHANICS SWEETENER-Small Drop_B00M_WW1FC.wav	Minimal plastic impact creates dampened sound with characteristic absorbent quality.
PLASMvmt_MECHANICS SWEETENER-Large Rattle_B00M_WW1FC.wav	Extended plastic rattling creates distinctive textured pattern when agitated.
PLASMvmt_MECHANICS SWEETENER-Small Grab_B00M_WW1FC.wav	Subtle manipulation sound emerges when plastic component is grasped and moved.